

Ashley-Martin

Manufacturing, LLC

90160 Highway 93 North
Arlee, MT 59821
406-726-3700

Certificate of Analysis

Sample Description: Betain HCl/Pepsin Capsule

Item #: BHC120

Lab Sample #:

Lot #: 32845

PO #:


Results from tests performed on bulk lot# A3261070

We hereby certify that the product listed above has been tested for the following and has met the specifications of our company.


Chemical Analysis	Specification	Result	Method	
Betain HCl	750mg	Complies	HPLC	*
Pepsin 1:10000	50mg	Complies	Pepsin Activity	*
Arsenic	<5ppm	0.012ppm	ICP-MS	*
Cadmium	<0.3ppm	0.003ppm	ICP-MS	*
Lead	<10ppm	0.017ppm	ICP-MS	*
Mercury	<0.2ppm	0.003ppm	ICP-MS	*

* Denotes 3rd party testing

Microbial Analysis	Specification	Result	Method Reference
Total Plate Count:	≤3,000 CFU/g	<100 CFU/g	USP
Total Yeast and Mold Count:	≤3,00 CFU/g	<100 CFU/g	USP
E. coli:	Negative	Negative	USP
Salmonella:	Negative	Negative	USP
S. aureus:	Negative	Negative	USP

Tested by: 

Date: 12-4-13

Approved by: 

Date: 12-4-13